

 [Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: The ACM Digital Library The Guide

"access control system" + "monitoring issuance system" + "file access request"

THE ACM DIGITAL LIBRARY

 [Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used [access control system](#) [monitoring issuance system](#) [file access request](#)

Found 3 of 154,226

Sort results by Save results to a Binder
 Search Tips
Display results Open results in a new window

Try an [Advanced Search](#)
Try this search in [The ACM Guide](#)

Results 1 - 3 of 3

Relevance scale 

1 [The role-based access control system of a European bank: a case study and discussion](#)

Andreas Schaad, Jonathan Moffett, Jeremy Jacob

May 2001 **Proceedings of the sixth ACM symposium on Access control models and technologies**

Full text available:  pdf(201.08 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Research in the area of role-based access control has made fast progress over the last few years. However, little has been done to identify and describe existing role-based access control systems within large organisations. This paper describes the access control system of a major European Bank. An overview of the systems structure, its administration and existing control principles constraining the administration is given. In addition, we provide an answer to a key question - the ratio of ...

Keywords: control principles, dual control, inheritance, least privilege, number of roles, role administration, role-based access control, separation of duties

2 [A fine-grained access control system for XML documents](#)

Ernesto Damiani, Sabrina De Capitani di Vimercati, Stefano Paraboschi, Pierangela Samarati

May 2002 **ACM Transactions on Information and System Security (TISSEC)**, Volume 5 Issue 2

Full text available:  pdf(330.60 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Web-based applications greatly increase information availability and ease of access, which is optimal for public information. The distribution and sharing of information via the Web that must be accessed in a selective way, such as electronic commerce transactions, require the definition and enforcement of security controls, ensuring that information will be accessible only to authorized entities. Different approaches have been proposed that address the problem of protecting information in a Web ...

Keywords: Access control, World Wide Web, XML documents, authorizations specification and enforcement

3 [Security & analysis I: Synthesising verified access control systems in XACML](#)

Nan Zhang, Mark Ryan, Dimitar P. Guelev

October 2004 **Proceedings of the 2004 ACM workshop on Formal methods in security engineering**

Full text available:  [pdf\(1.22 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

The <i>eXtensible Access Control Markup Language</i> (XACML) was proposed by the OASIS committee to be used as a standard language in e-business [6]. However, policy files written in XACML are hard to read and analyse directly. In this paper, we present a tool which generates verified XACML scripts from access control system descriptions in simple but expressive language proposed in [3], which admits algorithmic verification of access control systems against appropriately formalised p ...

Keywords: XACML, access control model, access control policy language

Results 1 - 3 of 3

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.
[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)

1/2/2005

 **PORTAL**
USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)
Search: The ACM Digital Library The Guide
"access control system" + "receives result validity" + "file access request" **SEARCH**

THE ACM DIGITAL LIBRARY



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used [access control system](#) [receives result validity](#) [file access request](#)

Found 3 of 154,226

Sort results by

relevance 

Save results to a Binder

Display results

expanded form 

Search Tips

Open results in a new window

Try an [Advanced Search](#)

Try this search in [The ACM Guide](#)

Results 1 - 3 of 3

Relevance scale 

1 The role-based access control system of a European bank: a case study and discussion 

Andreas Schaad, Jonathan Moffett, Jeremy Jacob

May 2001 **Proceedings of the sixth ACM symposium on Access control models and technologies**

Full text available:  pdf(201.08 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Research in the area of role-based access control has made fast progress over the last few years. However, little has been done to identify and describe existing role-based access control systems within large organisations. This paper describes the access control system of a major European Bank. An overview of the systems structure, its administration and existing control principles constraining the administration is given. In addition, we provide an answer to a key question - the ratio of ...

Keywords: control principles, dual control, inheritance, least privilege, number of roles, role administration, role-based access control, separation of duties

2 A fine-grained access control system for XML documents 

Ernesto Damiani, Sabrina De Capitani di Vimercati, Stefano Paraboschi, Pierangela Samarati

May 2002 **ACM Transactions on Information and System Security (TISSEC)**, Volume 5 Issue 2

Full text available:  pdf(330.60 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Web-based applications greatly increase information availability and ease of access, which is optimal for public information. The distribution and sharing of information via the Web that must be accessed in a selective way, such as electronic commerce transactions, require the definition and enforcement of security controls, ensuring that information will be accessible only to authorized entities. Different approaches have been proposed that address the problem of protecting information in a Web ...

Keywords: Access control, World Wide Web, XML documents, authorizations specification and enforcement

3 Security & analysis I: Synthesising verified access control systems in XACML 

Nan Zhang, Mark Ryan, Dimitar P. Guelev

October 2004 **Proceedings of the 2004 ACM workshop on Formal methods in security engineering**

Full text available: [!\[\]\(21199eb166cc97331a0c54c649195dcc_img.jpg\) pdf\(1.22 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

The <i>eXtensible Access Control Markup Language</i> (XACML) was proposed by the OASIS committee to be used as a standard language in e-business [6]. However, policy files written in XACML are hard to read and analyse directly. In this paper, we present a tool which generates verified XACML scripts from access control system descriptions in simple but expressive language proposed in [3], which admits algorithmic verification of access control systems against appropriately formalised p ...

Keywords: XACML, access control model, access control policy language

Results 1 - 3 of 3

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.
[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads: [!\[\]\(c694a3ff3b077d76910920a6a1593ab4_img.jpg\) Adobe Acrobat](#) [!\[\]\(42fc53a13f008e5bbf67aee5111990a5_img.jpg\) QuickTime](#) [!\[\]\(ca145749a3d75a63aab95bf2007ac277_img.jpg\) Windows Media Player](#) [!\[\]\(02c4673a215180b499fc79dccc80dd29_img.jpg\) Real Player](#)

 **PORTAL**
USPTO

Subscribe (Full Service) Register (Limited Service, Free) Login
 Search: The ACM Digital Library The Guide
 "access control system" + "policy file" + "file access request"

THE ACM DIGITAL LIBRARY

 Feedback Report a problem Satisfaction survey

Terms used access control system policy file file access request

Found 8 of 154,226

Sort results by relevance
 Display results expanded form
 Save results to a Binder
 Search Tips
 Open results in a new window

Try an Advanced Search
 Try this search in The ACM Guide

Results 1 - 8 of 8

Relevance scale **1 Security & analysis I: Synthesising verified access control systems in XACML**

Nan Zhang, Mark Ryan, Dimitar P. Guelev

October 2004 **Proceedings of the 2004 ACM workshop on Formal methods in security engineering**Full text available:  pdf(1.22 MB) Additional Information: full citation, abstract, references, index terms

The <i>xExtensible Access Control Markup Language</i> (XACML) was proposed by the OASIS committee to be used as a standard language in e-business [6]. However, policy files written in XACML are hard to read and analyse directly. In this paper, we present a tool which generates verified XACML scripts from access control system descriptions in simple but expressive language proposed in [3], which admits algorithmic verification of access control systems against appropriately formalised p ...

Keywords: XACML, access control model, access control policy language

2 A static type system for JVM access control

Tomoyuki Higuchi, Atsushi Ohori

August 2003 **ACM SIGPLAN Notices , Proceedings of the eighth ACM SIGPLAN international conference on Functional programming**, Volume 38 Issue 9Full text available:  pdf(150.01 KB) Additional Information: full citation, abstract, references, citations, index terms

This paper presents a static type system for JAVA Virtual Machine (JVM) code that enforces an access control mechanism similar to the one found, for example, in a JAVA implementation. In addition to verifying type consistency of a given JVM code, the type system statically verifies that the code accesses only those resources that are granted by the prescribed access policy. The type system is proved to be sound with respect to an operational semantics that enforces access control dynamically, si ...

Keywords: JVM, access control, stack inspection, type inference, type system

3 Access control: First experiences using XACML for access control in distributed systems

Markus Lorch, Seth Proctor, Rebekah Lepro, Dennis Kafura, Sumit Shah

October 2003 **Proceedings of the 2003 ACM workshop on XML security**Additional Information: full citation, abstract, references, citations, index

Full text available:  pdf(459.30 KB)

[terms](#), [review](#)

Authorization systems today are increasingly complex. They span domains of administration, rely on many different authentication sources, and manage permissions that can be as complex as the system itself. Worse still, while there are many standards that define authentication mechanisms, the standards that address authorization are less well defined and tend to work only within homogeneous systems. This paper presents XACML, a standard access control language, as one component of a distributed a ...

Keywords: access control decision, access control enforcement, authorization, distributed system security, policy language, policy management

4 Certificate-based authorization policy in a PKI environment

Mary R. Thompson, Abdelilah Essiari, Srilekha Mudumbai

November 2003 **ACM Transactions on Information and System Security (TISSEC)**, Volume 6 Issue 4

Full text available:  pdf(233.63 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The major emphasis of public key infrastructure has been to provide a cryptographically secure means of authenticating identities. However, procedures for authorizing the holders of these identities to perform specific actions still need additional research and development. While there are a number of proposed standards for authorization structures and protocols such as KeyNote, SPKI, and SAML based on X.509 or other key-based identities, none have been widely adopted. As part of an effort to us ...

Keywords: Public key infrastructure, XML, digital certificates

5 A systematic approach to static access control

François Pottier, Christian Skalka, Scott Smith

March 2005 **ACM Transactions on Programming Languages and Systems (TOPLAS)**, Volume 27 Issue 2

Full text available:  pdf(387.15 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

The Java Security Architecture includes a dynamic mechanism for enforcing access control checks, the so-called *stack inspection* process. While the architecture has several appealing features, access control checks are all implemented via dynamic method calls. This is a highly nondeclarative form of specification that is hard to read, and that leads to additional run-time overhead. This article develops type systems that can statically guarantee the success of these checks. Our systems all ...

Keywords: Type systems, access control, stack inspection

6 Securing context-aware applications using environment roles

Michael J. Covington, Wende Long, Srividhya Srinivasan, Anind K. Dev, Mustaque Ahamed, Gregory D. Abowd

May 2001 **Proceedings of the sixth ACM symposium on Access control models and technologies**

Full text available:  pdf(131.07 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

In the future, a largely invisible and ubiquitous computing infrastructure will assist people with a variety of activities in the home and at work. The applications that will be deployed in such systems will create and manipulate private information and will provide access to a variety of other resources. Securing such applications is challenging for a number of reasons. Unlike traditional systems where access control has been explored, access decisions may depend on the context in which re ...

Keywords: context aware computing, role-based access control

7 The role-based access control system of a European bank: a case study and discussion

Andreas Schaad, Jonathan Moffett, Jeremy Jacob

May 2001 **Proceedings of the sixth ACM symposium on Access control models and technologies**

Full text available: [pdf\(201.08 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Research in the area of role-based access control has made fast progress over the last few years. However, little has been done to identify and describe existing role-based access control systems within large organisations. This paper describes the access control system of a major European Bank. An overview of the systems structure, its administration and existing control principles constraining the administration is given. In addition, we provide an answer to a key question - the ratio of ...

Keywords: control principles, dual control, inheritance, least privilege, number of roles, role administration, role-based access control, separation of duties

8 A fine-grained access control system for XML documents

Ernesto Damiani, Sabrina De Capitani di Vimercati, Stefano Paraboschi, Pierangela Samarati

May 2002 **ACM Transactions on Information and System Security (TISSEC)**, Volume 5 Issue 2

Full text available: [pdf\(330.60 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Web-based applications greatly increase information availability and ease of access, which is optimal for public information. The distribution and sharing of information via the Web that must be accessed in a selective way, such as electronic commerce transactions, require the definition and enforcement of security controls, ensuring that information will be accessible only to authorized entities. Different approaches have been proposed that address the problem of protecting information in a Web ...

Keywords: Access control, World Wide Web, XML documents, authorizations specification and enforcement

Results 1 - 8 of 8

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Windows Media Player](#) [Real Player](#)



Welcome United States Patent and Trademark Office

Home | Login | Logout | Access Information | Abo

 Search Results

BROWSE

SEARCH

IEEE Xplore GUIDE

Results for "((access <near> control) <and> (result <near> validity) <and> policy)<in..."

e-mail

Your search matched 0 of 1157693 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» [View Session History](#)» [New Search](#)

Modify Search

» Key

IEEE JNL IEEE Journal or Magazine

 Check to search only within this results set

IEE JNL IEE Journal or Magazine

Display Format: Citation Citation & Abstract

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search.

Help Contact Us Privacy

© Copyright 2005 IE

Indexed by
 Inspec*



Home | Login | Logout | Access Information | AIE
J-12-05

Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((access control system' + 'monitoring processor issuance system' + 'receives result validity~..."

e-mail

Your search matched 0 of 1157693 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» [View Session History](#)

» [New Search](#)

Modify Search

» Key

((access control system' + 'monitoring processor issuance system' + 'receives result') >>

IEEE JNL IEEE Journal or Magazine

Check to search only within this results set

IEE JNL IEE Journal or Magazine

Display Format: Citation Citation & Abstract

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search.

[Help](#) [Contact Us](#) [Privacy](#)

© Copyright 2005 IE

Indexed by
 Inspec®

1/24/2005

IEEE Xplore®
RELEASE 2.0

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Help](#)

Welcome United States Patent and Trademark Office

[SEARCH](#) [BROWSE](#) [IEEE XPLORER GUIDE](#) [e-mail](#)

[Search Results](#)

Results for "((('access control') <and> ('result validity'))<in>metadata)"
Your search matched 0 of 1157693 documents.
A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

[» View Session History](#)

[» New Search](#)

[» Key](#)

((('access control') <and> ('result validity'))<in>metadata)

[IEEE JNL](#) IEEE Journal or Magazine

[IEE JNL](#) IEE Journal or Magazine

[IEEE CNF](#) IEEE Conference Proceeding

[IEE CNF](#) IEE Conference Proceeding

[IEEE STD](#) IEEE Standard

Check to search only within this results set

Display Format:

Citation Citation & Abstract

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search.

[Help](#) [Contact Us](#) [Privacy](#)

Indexed by Inspec © Copyright 2005 IEEE

Refine Search

Search Results -

Terms	Documents
L7 and (receiv\$3 near result near validity)	1

Database:

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

L8

Refine Search

Recall Text  Clear  Interrupt 

Search History

DATE: Thursday, May 12, 2005 [Printable Copy](#) [Create Case](#)

Set Name	Query	Hit Count	Set Name
side by side			
DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR			
<u>L8</u>	L7 and (receiv\$3 near result near validity)	1	<u>L8</u>
<u>L7</u>	(L3 or L6) and (L1 or L5)	3481	<u>L7</u>
<u>L6</u>	L4 not L3	1744	<u>L6</u>
<u>L5</u>	L2 not L1	50076	<u>L5</u>
<u>L4</u>	access near rights	11286	<u>L4</u>
<u>L3</u>	"access rights"	9542	<u>L3</u>
<u>L2</u>	"access control"	54888	<u>L2</u>
<u>L1</u>	"access control system"	4812	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L11 and validity	2

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L12	 	<input style="border: 1px solid black; padding: 2px; width: 100%;" type="button" value="Refine Search"/>
-----	------	--

Search History

DATE: Thursday, May 12, 2005 [Printable Copy](#) [Create Case](#)

<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u>
		result set	
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L12</u>	L11 and validity	2	<u>L12</u>
<u>L11</u>	L10 and L4	3	<u>L11</u>
<u>L10</u>	L9 and ((policy or policies) near file)	10	<u>L10</u>
<u>L9</u>	access near control near program	1078	<u>L9</u>
<u>L8</u>	L7 and (receiv\$3 near result near validity)	1	<u>L8</u>
<u>L7</u>	(L3 or L6) and (L1 or L5)	3481	<u>L7</u>
<u>L6</u>	L4 not L3	1744	<u>L6</u>
<u>L5</u>	L2 not L1	50076	<u>L5</u>
<u>L4</u>	access near rights	11286	<u>L4</u>
<u>L3</u>	"access rights"	9542	<u>L3</u>
<u>L2</u>	"access control"	54888	<u>L2</u>
<u>L1</u>	"access control system"	4812	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L19 and ((policy or policies) near file)	0

SEARCH
Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

<input style="width: 100%; height: 25px;" type="text" value="L21"/>	<input style="width: 100px; height: 25px;" type="button" value="Refine Search"/>
<input style="width: 25px; height: 25px;" type="button" value="Recall Text"/> <input style="width: 25px; height: 25px;" type="button" value="Clear"/> <input style="width: 25px; height: 25px;" type="button" value="Interrupt"/>	

Search History

DATE: Thursday, May 12, 2005 [Printable Copy](#) [Create Case](#)

<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u>
side by side			result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L21</u>	L19 and ((policy or policies) near file)	0	<u>L21</u>
<u>L20</u>	L19 and (policy or policies)	1	<u>L20</u>
<u>L19</u>	(L17 or L18) and L15	3	<u>L19</u>
<u>L18</u>	709/219.ccls.	3019	<u>L18</u>
<u>L17</u>	709/217.ccls.	3199	<u>L17</u>
<u>L16</u>	L15 and ((policy or policies) near file)	0	<u>L16</u>
<u>L15</u>	L14 and validity	28	<u>L15</u>
<u>L14</u>	L13 and (access near right)	220	<u>L14</u>
<u>L13</u>	707/9.ccls.	1147	<u>L13</u>
<u>L12</u>	L11 and validity	2	<u>L12</u>
<u>L11</u>	L10 and L4	3	<u>L11</u>
<u>L10</u>	L9 and ((policy or policies) near file)	10	<u>L10</u>
<u>L9</u>	access near control near program	1078	<u>L9</u>
<u>L8</u>	L7 and (receiv\$3 near result near validity)	1	<u>L8</u>

<u>L7</u>	(L3 or L6) and (L1 or L5)	3481	<u>L7</u>
<u>L6</u>	L4 not L3	1744	<u>L6</u>
<u>L5</u>	L2 not L1	50076	<u>L5</u>
<u>L4</u>	access near rights	11286	<u>L4</u>
<u>L3</u>	"access rights"	9542	<u>L3</u>
<u>L2</u>	"access control"	54888	<u>L2</u>
<u>L1</u>	"access control system"	4812	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L15 and ((policy or policies) near file)	0

*1/2/05
5-12-BJ*

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L16	<input type="button" value="▲"/>	<input type="button" value="▼"/>	<input type="button" value="Refine Search"/>
-----	----------------------------------	----------------------------------	--

Search History

DATE: Thursday, May 12, 2005 [Printable Copy](#) [Create Case](#)

<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u>
		result set	
<i>side by side</i>			
<u>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</u>			
<u>L16</u>	L15 and ((policy or policies) near file)	0	<u>L16</u>
<u>L15</u>	L14 and validity	28	<u>L15</u>
<u>L14</u>	L13 and (access near right)	220	<u>L14</u>
<u>L13</u>	707/9.ccls.	1147	<u>L13</u>
<u>L12</u>	L11 and validity	2	<u>L12</u>
<u>L11</u>	L10 and L4	3	<u>L11</u>
<u>L10</u>	L9 and ((policy or policies) near file)	10	<u>L10</u>
<u>L9</u>	access near control near program	1078	<u>L9</u>
<u>L8</u>	L7 and (receiv\$3 near result near validity)	1	<u>L8</u>
<u>L7</u>	(L3 or L6) and (L1 or L5)	3481	<u>L7</u>
<u>L6</u>	L4 not L3	1744	<u>L6</u>
<u>L5</u>	L2 not L1	50076	<u>L5</u>
<u>L4</u>	access near rights	11286	<u>L4</u>
<u>L3</u>	"access rights"	9542	<u>L3</u>

<u>L2</u>	"access control"	54888	<u>L2</u>
<u>L1</u>	"access control system"	4812	<u>L1</u>

END OF SEARCH HISTORY